


4 Bay Deluxe - 2 Vandal resistant + 1 Toddler + 1 Infant seat

Front View




4 Bay Deluxe - 2 Vandal resistant + 1 Toddler + 1 Infant seat

Rear View



4 Bay Deluxe - 2 Vandal resistant + 1 Toddler + 1 Infant seat




Plan View



4 Bay Deluxe - 2 Vandal resistant + 1 Toddler + 1 Infant seat

Fallzones for Loose Fill Application



DIMENSIONS AT GROUND LEVEL



Technical Information	
Legend - 4 Bay Deluxe Swing 2200	
	Suggested Fall Zone
	Minimum Fall Zone As Per AS4685:2014/ NZS5828:2015
	Flush With Safety Surface/ No Obstacles
Free Height Of Fall : 1300mm	
NOTE MINIMUM FALL ZONES CALCULATED OFF MINIMUM SEAT HEIGHT	
Heaviest Part	35 kg

1:100 @ A3

4 Bay Deluxe - 2 Vandal resistant + 1 Toddler + 1 Infant seat
Fallzones for Synthetic Surface Application



Technical Information	
Legend - 4 Bay Deluxe Swing 2200	
	Suggested Fall Zone
	Minimum Fall Zone As Per AS4685:2014/ NZS5828:2015
	Flush With Safety Surface/ No Obstacles
Free Height Of Fall : 1300mm	
NOTE MINIMUM FALL ZONES CALCULATED OFF MINIMUM SEAT HEIGHT	
Heaviest Part	35 kg

1:100 @ A3

REVISION HISTORY			
REV	DESCRIPTION	DATE	BY
0	Creation	9/11/2017	